

DAILY



**IVECO**

Your partner for sustainable transport

# MISSION ACCOMPLISHED

Strong by nature, incredibly light, comfortable and easy to handle. New architecture optimizes vehicle volumes. New wheelbases improve dynamic handling. New suspensions enhance performance and solid build. A business oriented vehicle that features larger volumes, a more accessible loading platform and lower fuel consumption. The DAILY has been completely redesigned to meet every need of light commercial transport, a new concept, a new vehicle, a new generation of Daily vehicles.



## PRODUCT ADVANTAGES

**VAN architecture:** best in class load volume (19.6 m<sup>3</sup>), better load efficiency (with the new 10.8 m<sup>3</sup>), new range of wheelbases with rear overhang reduction, more accessible load compartment.

**Strength:** chassis with high-strength side members, up to 7.2 t, gross vehicle weight, reinforced suspension (allowing up to 200 kg, greater load), tough, reliable engines.

**Design:** new style, new interiors, ergonomic dashboard, new storage compartments.

**Versatility:** van, chassis cab, crew cab, minibus, single and twin wheels, maximum ease of fitting and configuration.

**Handling:** new suspension, optimised wheelbase for better driveability, best turning circle in its class (10.5 m).

**Comfort:** new seat, new controls and new driving position, better soundproofing, greater forward visibility, new climate control system.


**Performance:** rear-wheel drive, power 146 hp, torque 350 Nm, natural power 136 hp version, best in class turning radius, 6-speeds manual transmission.

## VERSATILITY

### THE DAILY IS THE MOST VERSATILE VEHICLE IN ITS CLASS

With two distinct architectures, with different wheelbases for vans and chassis cabs, the DAILY is the most versatile vehicle in its class. The new range includes chassis cabs, crew cabs, chassis cowl, vans, semiwindowed vans and minibuses. The chassis cab gross vehicle weight ranges from 3.5 to 7.2 t, with wheelbases from 3000 to 4750 mm and body lengths up to 6190 mm. The new single wheel 4100 mm wheelbase version maintains all the distinctive qualities of the DAILY but with even better drive ability. The gross vehicle weight of the van ranges from 3.5 to 7.2 t, with load capacities from 9 to 19.6 m<sup>3</sup>.

The van is available in three heights: 1545, 1900 and 2100 mm, making it possible for a tall person to stand up and move about in the load compartment. The vehicle length varies from 5560 to 7500 mm and the wheelbase from 3520 to 4100 mm. This extensive range of bodies, engines, dimensions, wheelbases and load capacities allows you to choose between different factory versions of the DAILY, each one configurable in an infinite number of ways thanks to the versatility of the framework.






## PERFORMANCE

### THE DAILY OFFERS TOP CLASS PERFORMANCE

Rear drive guarantees traction and pick-up at engine start. The DAILY is the only vehicle to use industrial-derived engines, optimized for heavy-duty performance and able to reach high mileage while keeping maximum efficiency. The range of engines is topped off by the extremely green CNG, 136 HP NATURAL POWER engine with Euro6 Heavy Duty approval. Transmissions come in a 6-gear manual version. The DAILY also provides several important new features aimed at reducing fuel consumption, such as the EcoSwitch, activated by the driver to modulate torque output, the EcoMac intelligent air cooling system, which further decrease fuel consumption over the previous model. The deck top is completely flat and obstacle-free to facilitate the work of body and equipment fitters. The vehicle can be fitted with a power take-off flange on the side of the gearbox (torque delivery up to 180 Nm). The vehicle electronics can be integrated with those of the body fittings via standard CAN-BUS connections.







### DAILY ENGINES

ENGINE	MAX. POWER (HP)	MAX. TORQUE (Nm)
<b>FIC 3,0 litres</b>	<b>146</b>	350
 <b>NATURAL POWER</b>	<b>136</b>	350

IVECO recommends






## DAILY CHASSIS CAB

WHEELBASE (mm)	MAXIMUM BODY LENGTHS (mm)				GROSS VEHICLE WEIGHT (t)			
	SINGLE WHEEL 		TWIN WHEEL 		SINGLE CAB 		CREW CAB 	
	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.
3000	2510	3000			3.5	5.2	3.5	7
3450	3395	3886	3395	3886	3.5	7**	3.5	7**
3750	4005	4495	4005	4495	3.5	7.2**	3.5	7**
4100	4005*	4495*	4005	4895				
4350			4830	5340	5.2	7.2**	5.2	7**
4750			5690	6308				

\* NEW WHEELBASE LENGTH \*\* BEST-IN-CLASS ALL VERSIONS HAVE BODY LENGTHS IDENTICAL TO THE PREVIOUS WHEELBASE VARIANTS

## DAILY VAN

WHEELBASE (mm)	VEHICLE LENGTH (mm)	LOAD COMPARTMENT LENGTH (mm)	LOAD COMPARTMENT WIDTH (mm)	HEIGHT / LOAD VOLUME			GROSS VEHICLE WEIGHT (t)	
				1545 mm 	1900 mm 	2100 mm 	MIN.	MAX.
3520*	5560	3130	1800	9 m <sup>3</sup>	10.8 m <sup>3</sup>		3.3	5.2
3520L*	5950	3540			12 m <sup>3</sup>	13.4 m <sup>3</sup>		
4100*	7130	4680			16 m <sup>3</sup>	18 m <sup>3</sup> **	3.5	7*
4100L*	7500	5125			17.5 m <sup>3</sup>	19.6 m <sup>3</sup> **		

\* NEW WHEELBASE LENGTH \*\* BEST-IN-CLASS

# IVECO

Your partner for sustainable transport